moooi

Emperor Suspended

NERI AND HU



Once upon a time an Asian emperor received as a gift a nightingale. The charming bird sang so beautifully that the emperor always wanted it by his side. He placed the nightingale a majestic hand woven bamboo cage in the imperial chambers and listened, enchanted, to the magic sound...

Detailing



The Emperor features a glass diffuser, that creates a very warm and charming glow of light.

Colours







RAL 3004 Purple red

Emperor Suspended / Large

Dimensions Product Packaging

 WIDTH 160cm | 63"
 WIDTH 174cm | 68.5"

 HEIGHT 115cm | 45.3"
 HEIGHT 121cm | 47.6"

 DEPTH 160cm | 63"
 CUBAGE 3.66m³ | 129.37ft³

 DIAMETER 160cm | 63"
 LENGTH 174cm | 68.5"

 WEIGHT NETTO 18kg | 39.68lbs
 WEIGHT 33kg | 72.75lbs

Technical CE

MATERIAL

Bamboo rattan cage shade, glass diffuser

ENERGY LABEL INSTALLATION REQUIRED

A++ to E Yes

LIGHTSOURCE TYPE NUMBER OF LIGHTSOURCES

Incandescent

SHAPE INPUT VOLTAGE
Dome 220-240V

FREQUENCY MAX POWER CONSUMPTION

50/60 36W

LAMPHOLDERCABLE COLOUR2G11Black textile

CABLE LENGTH CANOPY

400cm | 157.5" Pebble II Black, ABS

LIGHT DIRECTION DIMMING & LIGHTING CONTROL

All directions DALI dt6

See last page for more information about the dimming possibilities.

ϵ

Technical UL

MATERIAL

Bamboo rattan cage shade, glass diffuser

ENERGY LABEL

A++ to E

LIGHTSOURCE TYPE

Incandescent

SHAPEDome

FREQUENCY

50/60

LAMPHOLDER 2G11

CABLE LENGTH

400cm | 157.5"; 1000cm | 393.7"

LIGHT DIRECTION

All directions

INSTALLATION REQUIRED

Yes

NUMBER OF LIGHTSOURCES

4

INPUT VOLTAGE

MAX POWER CONSUMPTION

36W

CABLE COLOUR
Black textile

CANOPY

Chrome Canopy

DIMMING & LIGHTING CONTROL

DALI dt6

See last page for more information about the dimming possibilities.



Emperor Suspended / Medium

Dimensions

Product

WIDTH 100cm | 39.4"
HEIGHT 73cm | 28.7"
DEPTH 100cm | 39.4"
DIAMETER 100cm | 39.4"
WEIGHT NETTO 8kg | 17.64lbs

Packaging

width 104.5cm | 41.1"

HEIGHT 82.5cm | 32.5"

CUBAGE 0.9m³ | 31.82ft³

LENGTH 104.5cm | 41.1"

WEIGHT 22kg | 48.5lbs

Technical CE

MATERIAL

Bamboo rattan cage shade, glass diffuser

ENERGY LABEL
A++ to E

LIGHTSOURCE TYPE

Incandescent

INSTALLATION REQUIRED

Yes

NUMBER OF LIGHTSOURCES

1

SHAPE

Dome

FREQUENCY

50/60

LAMPHOLDER

E27

CABLE LENGTH

400cm | 157.5"; 1000cm | 393.7"

LIGHT DIRECTION

All directions

INPUT VOLTAGE

220-240V

MAX POWER CONSUMPTION

60W

CABLE COLOUR

Black textile

CANOPY

Pebble II Black, ABS

DIMMING & LIGHTING CONTROL

Mains dimmable with compatible light source

See last page for more information about the dimming possibilities.

 ϵ

Technical UL

MATERIAL

Bamboo rattan cage shade, glass diffuser

ENERGY LABEL

A++ to E

LIGHTSOURCE TYPE

Incandescent

SHAPE Dome

FREQUENCY

50/60

LAMPHOLDER GU24

CABLE LENGTH

400cm | 157.5"

LIGHT DIRECTION

All directions

INSTALLATION REQUIRED

Yes

NUMBER OF LIGHTSOURCES

INPUT VOLTAGE 110-127V

MAX POWER CONSUMPTION

26W

CABLE COLOUR Black textile

CANOPY

Chrome Canopy

DIMMING & LIGHTING CONTROL

Mains dimmable with compatible light source

See last page for more information about the dimming possibilities.

C (VL) US

Emperor Suspended / Small

Dimensions

Product

Packaging WIDTH 60cm | 23.6" **WIDTH** 64cm | 25.2"

HEIGHT 43cm | 16.9" **DEPTH** 60cm | 23.6" **DIAMETER** 60cm | 23.6"

WEIGHT NETTO $3kg \mid 6.61lbs$

CUBAGE $0.21 \text{m}^3 \, 17.52 \text{ft}^3$ **LENGTH** 64cm | 25.2"

неіднт 52cm | 20.5"

WEIGHT 6.5kg | 14.33lbs

Technical CE

MATERIAL

Bamboo rattan cage shade, glass diffuser

ENERGY LABEL

A++ to E

LIGHTSOURCE TYPE

Incandescent

SHAPE Dome

FREQUENCY

50/60

LAMPHOLDER

E27

CABLE LENGTH

400cm | 157.5"; 1000cm | 393.7"

LIGHT DIRECTION

All directions

INSTALLATION REQUIRED

Yes

NUMBER OF LIGHTSOURCES

INPUT VOLTAGE 220-240V

MAX POWER CONSUMPTION

60W

CABLE COLOUR Black textile

CANOPY

Pebble II Black, ABS

DIMMING & LIGHTING CONTROL

Mains dimmable with compatible light source

See last page for more information about the dimming possibilities.

ϵ

Technical UL

MATERIAL

Bamboo rattan cage shade, glass diffuser

ENERGY LABEL

A++ to E

LIGHTSOURCE TYPE

Incandescent

SHAPE

Dome

FREQUENCY 50/60

LAMPHOLDER E26

CABLE LENGTH 400cm | 157.5"

LIGHT DIRECTION

All directions

INSTALLATION REQUIRED

Yes

NUMBER OF LIGHTSOURCES

INPUT VOLTAGE 110-127V

MAX POWER CONSUMPTION

60W

CABLE COLOUR Black textile

CANOPY

Chrome Canopy

DIMMING & LIGHTING CONTROL

Mains dimmable with compatible light source

See last page for more information about the dimming possibilities.



Dimming & Lighting Control

DALI dt6

The luminaire is dimmable by integrating it into a DALI network. This is an universal and professional standard in home automation systems with endless control possibilities and ease. We advise to hire a professional to integrate the luminaire into your DALI network.

Compatible models: Large CE, Large UL

Mains dimmable with compatible light source

Compatible models: Medium CE, Medium UL, Small CE, Small UL