

m o o o i[®]



Bottoni

by Marcel Wanders

The refined brightness of the Bottoni sofa makes it a classic sofa in the Moooi collection. It's sophisticated shape and straight cuts will make you fall in love instantly. Above all its colourful playfulness adds unique warmth and richness to every space.


Designer	Marcel Wanders
Year of design	2002
Material	multiple density foam on plywood frame, stainless steel feet.

m o o o i[®]

Additional

double seater and triple seater available

dimensions



Abbracci

composition

100% pl

abrasion


50.000 martindale

lightfastness 4


firetest

FR BS5852 0/1


EN1021 I&2



Abbracci
Black




Abbracci
Brown



Abbracci
Grey



Abbracci
Oyster



Abbracci
Taupe

Jacquard andaz

composition:

34% cotton - 30% viscose - 24% linen - 12% polyamide

abrasion:

25000 martindale

lightfastness 4-5

firetest:

BS EN 1021 1&2



Jacquard
Andaz

Jaquard Fresco

composition

40% vi ,36% co,14% pl, 10% li

abrasion

20.000> martindale

lightfastness 4-5

firetest

EN1021 I&2



Jaquard
Fresco

Jacquard Old Black & Blue

composition

52% vi, 38% co, 10% li

abrasion

20.000> martindale

lightfastness 4-5

firetest

EN1021 I&2



Jaquard
Old Blue



Jaquard
Old Black

Liscio

composition

35% WO / 35% CV / 21% CO / 9% PA

abrasion

30.000 Martindale

lightfastness


4-6

firetest


US. Cal. Bull. 117-2013

Upon request, with treatment:


BS5852 part I




Liscio
**Grigio Blu
Scuro**



Liscio
Grigio Blu



Liscio
Grigio Scuro



Liscio
Muscio Scuro




Liscio
Muscio



Liscio
Argento



Liscio
Nebbia



Liscio
Pietra



Liscio
Perla



Liscio
Latte Scuro



Liscio
Latte

Solis

composition

2% PA 3% PC 30% PL 65% WO

abrasion

40.000 Martindale rubs, EN ISO 12947

lightfastness

Note 5, EN ISO 105-B02

firetest

EN 1021-1/2

US. Cal. Bull. 117-2013

Upon request, with treatment:

BS5852 part I

BS5852 crib5

m o o o i[®]



Solis
Crust



Solis
Dawn



Solis
Fog



Solis
Gray



Solis
Paper




Solis
Rain



Solis
Spencer



Solis
Suit



Solis
Sunset

Justo

composition

15% CO, 35% PC, 10% PL, 40% VI

abrasion

50.000 Martindale rubs, EN ISO 12947

lightfastness

Note 5, EN ISO 105-B02

fire test

EN 1021-1/2

US. Cal. Bull. 117-2013

NFPA 260


Upon request, with treatment:

BS5852 part I


BS5852 crib5




Justo
Alge




Justo
Bazalt




Justo
Bred



Justo
Flod




Justo
Hinde




Justo
Lyse




Justo
Muse



Justo
Nat



Justo
Sennep



Justo
Sten

Twill

composition

72% wo, 8% pa, 20% pl

abrasion

75.000 martindale


lightfastness 5

firetest


EN1021 I&2



Twill
Caviar



Twill
Graphite




Twill
Grass



Twill
Grey




Twill
Linen



Twill
Natural



Twill
Passion



Twill
Walnut

Twill Melange

composition

60% WO / 20% PES / 20% PA

abrasion

80.000 martindale

lightfastness 6-7


firetest

EN1021-I/2

US. Cal. Bull. 117-2013

BS5852 part I


DIN 4102-B2




Twill Melange
Chili



Twill Melange
Dust




Twill Melange
Flour




Twill Melange
Lagoon



Twill Melange
Lavender



Twill Melange
Peat



Twill Melange
Slate



Twill Melange
Twig

Velour

composition

77% wo, 8% pa, 15% pl

abrasion

100.000 martindale

lightfastness 7

firetest

FR BS5852 0/1

EN1021 I&2



Velour
Coral



Velour
Stone



Velour
Moss

Vesper

composition

10% CO, 40% L, 10% PA, 10% PL, 30% VI

abrasion

40.000 Martindale rubs, EN ISO 12947

lightfastness

Note 5, EN ISO 105-B02

firetest

EN 1021-1/2

US. Cal. Bull. 117-2013


Upon request, with treatment:

BS5852 part I


BS5852 crib5



Vesper
Aluminium



Vesper
Brass



Vesper
Bronze




Vesper
Carbon



Vesper
Nickel



Vesper
Silver



Vesper
Steel



Vesper
Titan

Kvadrat Fabrics

Kvadrat Fabrics

Selected Moooi products can be upholstered with a collection of Kvadrat fabrics. Kvadrat designs high-quality upholstery, in an extensive range of colours and textures.

Go to our Kvadrat fabrics page for a full overview of all fabric families you can choose from.



Dodo Pavone

composition

12% CO 88% PL

abrasion

40.000 Martindale rubs, EN ISO 12947

lightfastness

Note 5, EN ISO 105-B02

firetest

US. Cal. Bull. 117-2013

Upon request, with treatment:

BS5852 part 1



Bearded leopard Jacquard

composition

77% VI / 15% PES / 7% CO / 1% PA

abrasion

15.000 Martindale rubs, EN ISO 12947

lightfastness

Note 4-6, EN ISO 105-B02

firetest

EN1021-1/2

Upon request and with treatment:

BS5852 part I



Blushing Sloth Melange Mohair

composition


29% LANA / 24% LANA WM / 24% PES / 15% PA / 8% CO

abrasion

40.000 Martindale rubs, EN ISO 12947

lightfastness

Note 4-6, EN ISO 105-B02



Blushing Sloth Woolly Mohair

composition

85% WV / 15% WM

abrasion

15.000 Martindale rubs, EN ISO 12947

lightfastness

Note 4-6, EN ISO 105-B02

firetest

EN 1021-1/2

BS5852 part 1



**Extinct
Animals
Fabric
Collection**

Blushing Sloth
Woolly Mohair

Calligraphy Bird Jacquard

composition

64% VI, 21% PES, 15% CO

abrasion

50.000 Martindale rubs, EN ISO 12947


lightfastness

Note 4-6, EN ISO 105-B02

firetest

Upon request, with treatment;

BS5852 part 1



Extinct Animals
Fabric Collection
Calligraphy Bird
Jacquard

The Silent Bison Velvet

composition


100% CO

abrasion

30.000 Martindale rubs, EN ISO 12947

lightfastness

Note 4-6, EN ISO 105-B02



The Menagerie of Extinct Animals

composition

100% PES

abrasion

50.000 Martindale rubs, EN ISO 12947

lightfastness

Note 4-6, EN ISO 105-B02

firetest

EN1021-1/2

Upon request, with treatment;
BS5852 part 1