

m o o o i<sup>®</sup>



## Coppélia

---

by Arihiro Miyake

With a graceful sense of wonder, a beautiful mechanical doll appears to magically come to life in the famous ballet Coppelia. In the performance the ballerina traces, with sinuous movements, a delicate after-image in the air, which inspires the fluid motion in the design of Miyake's Coppelia Suspended Lamp.

---

<b>Designer</b>	Arihiro Miyake
<b>Year of design</b>	2015
<b>Material</b>	Electrolytic polished stainless steel frame, poly carbonate shades and suspension bracket.

---

---

## Colours

Electrolytic polish (Chromed)

---

## technical

**Amount of LED's:**

54 LED Tubes

**Colour temperature (degrees Kelvin, K) Colour rendering index:**

2700K (warm white, comparable to incandescent) CRI\_Ra > 80

**Luminous flux (Lumen, lm):**

600 lm

**Power consumption MAX 33W**

Mains Dimmable

**Cable Length**

4M (10M on request)

**Cable Colour**

Transparent with metal core

**Canopy**

Cylinder electrolytic polished

---

## Recommended dimmers (ce)

Dimmers below (make & type) have proven to show a fluent dimming behaviour with CE version:

GIRA 226200 (replaces 030600) R,L

JUNG 244HEX20-500 R,L

INSTA 51180 R,L

PEHA 435 HAN R,L

Cooper control iLight system source controllers: SCI0410, SCI0805, SCI1210, SCI1220

Lutron LQSA-4A-D & QSNE-4A-D

**IMPORTANT!** The use of a non-recommended dimmer can lead to unexpected dimming behavior and even non-repairable damage of the fixture and/or driver.

---

## Technical (ul)

# m o o o i<sup>®</sup>



**Amount of LED's:**

54 LED Tubes

**Colour temperature (degrees Kelvin, K) Colour rendering index:**

2700K / CRI 90

**Luminous flux (Lumen, lm):**

400 lm

**Power consumption**

MAX 20W

**Dimmable**

Mains dimmable, with recommended dimmer only.

**Cable Length**

13,12 ft

**Cable Colour**

Transparent with metal core

**Canopy**

Cylinder electrolytic polished

~~Dimmable LED tubes with DALI, TRIAC, 0-10V, and 1-10V dimmers. Do not use with other dimmers.~~

## Recommended dimmers (ul)

Dimmers below (make & type) have proven to show a fluent dimming behaviour with cULus version:

Lutron CT-603PGH-WH

Lutron DIVA DV-603PG

Lutron DV-600P

Lutron CTCL-153 PD

Lutron LQSA-4A-D & QSNE-4A-D

IMPORTANT! The use of a non-recommended dimmer can lead to unexpected dimming behavior and even non-repairable damage of the fixture and/or driver.


# m o o o i<sup>®</sup>

---

## dimensions

Ø101cm | 39,8"

---



19cm | 7,5"

---



54cm | 21,3"

---



7cm | 2,8"

---

---

## packaging

m o o o i<sup>®</sup>

H 63 cm | 24,8"  
W 111 cm | 43,7"  
D 111 cm | 43,7"

Colli 1/1

Product weight:

12 KG | 26,5 lb

With packaging:

14 KG | 30,9 lb