

m o o o i<sup>®</sup>



---

## Heracleum Endless

by Bertjan Pot

Powered through *Electrosandwich* by Marcel Wanders

A perpetual blossom of new branches that multiplies by the meter, Heracleum Endless by Bertjan Pot may really grow out of reach! There is hardly a limit to what Heracleum can now achieve by developing in straight lines, generating corners and forming square geometric shapes. Given the seed of a good idea, it may grow into any kind of environment, meter by meter. Let there be no end to the bloom of Heracleum Endless!

---

**Designer**

Bertjan Pot

**Year of design**

2014

---

## colours



Nickel



Copper

---

## technical general

### Amount of LED's:

45

### Colour temperature (degrees Kelvin, K) Colour rendering index:

2700K (warm white, comparable to incandescent) CRI\_Ra > 80

### Luminous flux (Lumen, lm):

400 lm per meter

### Power consumption MAX 12W

Mains Dimmable

### Cable Length

4M (10M on request)

### Cable Colour

Transparent with tinned cores

### Canopy

One pebble per meter, in matching finish: copper & nickel

### Suspension wires

2 suspension wires for four meters

### Available connectors

- 135 degree bend
- 90 degree bend

Cable length 4M | 13.1ft (transparent) can be shortened down to 30cm | 11.8".

---

## Heracleum Endless Technical (ce)



Input voltage of 220-240V ~50Hz AC

Voltage on lamp < 5V DC (actual lamp surface functions as conductor!)



Plastic canopy in matching colour,  
cable length 4M (transparent)

Power supply included in canopy.



Professional installation  
recommended.

---

## Heracleum Endless Technical (110V)



Dimmable with mains voltage dimmer (dimmer for incandescent, halogen)  
Please make sure to use a dimmer rated for a low power luminaire.

Input voltage of 110-127V~60Hz AC

Voltage on lamp < 5V DC (actual lamp surface functions as conductor!)




Steel canopy, cable length 4M | 13.1  
ft (transparent)

Power supply included in canopy.

Professional installation  
recommended.

# m o o o i<sup>®</sup>

## dimensions



## packaging

H 44 cm | 17,3"  
W 66 cm | 26"  
D 125 cm | 49,2"

Colli 1/1  
Product weight:  
4,5 KG | 9,9 lb  
With packaging:  
6,5 KG | 14,3 lb



---

## Recommended dimmer specs

For fluent dimming behaviour we advise a dimmer that is compatible with the following specs:

**Transformer type:** Electronic Low Voltage (ELV)

**Load type:** Capacitive load (C-Type)

**Dimmer type:** Trailing edge / Reverse phase

*Please note the functioning of the dimmer and the power supply combination can never be predicted, it always needs to be tested in practice.*