

m o o o i[®]



Meshmatics Chandelier

Playful transparencies cascade through the lamp's ingenious frame, creating shimmering reflections and casting an elaborate net of shadows onto the ceiling.

Designer

Rick Tegelaar

Year of design

2017

Material

Galvanised steel, brass

Technical (ce)

**Input voltage:**

220-240V ~ 50-60Hz

Power consumption:

Max 12w

Colour temperature:

2700k

Dimmable:

Yes (external)

Lumen:

665

Cable length:

4 or 10m

Cable colour:

Transparent

Canopy:

Pebble Stainless Steel

Technical (ul)

**Input voltage:**

120V ~ 50-60Hz

Power consumption:

Max 9w

Colour temperature:

2700k

Dimmable:

Yes (external)

Lumen:

665

Cable length:

4 or 10m

Cable colour:

Transparent

Canopy:

RVS pebble

Recommended dimmer specs

For fluent dimming behaviour we advise a dimmer that is compatible with the following specs:

Transformer type: Electronic Low Voltage (ELV)

Load type: Capacitive load (C-Type)

Dimmer type: Trailing edge / Reverse phase



Please note the functioning of the dimmer and the power supply combination can never be predicted, it always needs to be tested in practice.

For more information about the power supply/driver specs

[Click here](#)

Dimensions

90cm | 35.4"



packaging

H 101 cm | 39,8"

W 94 cm | 37"

D 93 cm | 36,6"

Colli 1/1

Product weight:

8,5 KG | 18,7 lb

With packaging:

10 KG | 22 lb
